


星河-星宿

SPACE CABIN
ACCOMMODATION

Jiangsu Lanquan New Material Co., Ltd
Addr: No.100 guyang east road, dantu district,
zhenjiang city, jiangsu province.

产品宣传册 Product brochure



江苏蓝圈新材料股份有限公司
星宿能量舱系列

JIANGSU LANQUAN NEW MATERIAL CO., LTD

Tel: +8618205049903 (Whatsapp)

WEB: www.lanquanbuild.com

Email: jane@jslanquan.com / sales@jslanquan.com

太空舱产品系列 (space module product eries s)



D-01



D-02



D-05



D-06



D-07




D-08



D-09




产品配置表 (Product configuration table)



产品配置表 (Product configuration table)

产品型号 Product model	D-01	
产品信息 (Product model introduction)		
外形尺寸:6100mm*3000*3000mm Dimensions	占地面积:18. 3㎡ Covers an area of 18.3 square meters	约总重量:3. 5吨 About 3.5 tons in total weight
用电功率:12KW Electric power 12 kw	入住人数:2人 Occupancy 2 persons	
主框结构系统 (Main frame structure system)		
钢结构 Steel structure	镀锌方管骨架 Galvanized square pipe frame	
维护结构系统 (Maintenance structure system)		
外围护铝板: 航空铝板2. 5mm 氟碳烤漆 Outer aluminum plate: aviation aluminum plate 2.5mm fluorocarbon baking paint	保温层: 聚氨酯保温厚度70mm Insulating layer: polyurethane insulation thickness70mm	
门窗工程系统 (Door and window engineering system)		
入户门 Entrance door	入户门 (含智能锁) Entrance door (with smart lock)	
阳台门联窗 Balcony door and window	断桥铝5+12A+5 Broken bridge aluminum 5+12A+5	
卫生间门 Bathroom door	玻璃推拉门或木门 Glass sliding door	
幕墙玻璃 Curtain wall glass	5+12A+5, low-e玻璃 5+12A+5, low-e glass	
内墙系统 (Interior wall system)		
客厅卧室墙面(Living room bedroom wall)		
基层板: 细木工板或OSB Base board: joinery board and OSB	面层板: 竹木纤维板 Surface board: bamboo and wood fiber board	
卫生间墙面(Bathroom wall)		
防水基板18mm Waterproof substrate 18mm	面层板: 竹木纤维板 Surface board: bamboo and wood fiber board	
楼地面结构系统 (Floor structure system)		
水泥压力板 Cement pressure plate	18mm	
卧室复合木地板 Bedroom laminated wood floor	12mm	
卫生间磁砖面层 Tile surface	400*400含美缝 400*400 including seam	
阳台塑木地板 Balcony plastic flooring	23mm	
天花系统 (Ceiling system)		
基层板: 细木工板 Base board: joinery board	面层板: 竹木纤维板 Surface board: bamboo and wood fiber board	
电气设备安装系统 (Electrical equipment installation system)		
强电配电箱 Strong power distribution box	包含控制断路器、保护器等 Includes control circuit breakers, protectors, etc	
开关插座 Switch socket	含五孔插座、三孔插座、防水插座 Including five-hole socket, three-hole socket, waterproof socket	
弱电配电箱 Weak current distribution box	包含路由器等 Router included	
弱电插座 Weak current socket	有线网络插座 Limited line network socket	
插卡取电系统 Card access system		
给排水工程系统 (Water supply and drainage engineering system)		
给水管 PPR Water supply pipe ppr	排水管 PVC Drain pipe pvc	全屋给排水保温保护系统: 电伴热带 The whole house water supply and drainage insulation protection system: Electric tracing zone
照明系统 (Lighting system)		
室内照明: 筒灯 灯带 Indoor lighting: simple lampstrip light	室外照明: 筒灯 灯带 Outdoor lighting: downlightstrip light	变压器 Transformer 800, 400, 200optional
设备部分 (Equipment section)		
空调 air conditioning	热水器 water heater	
选配部分 (Optional sections)		
智能语音系统 Intelligent speech system	新风系统 Fresh air system	定制厨房 Custom kitchens
音响 Audio	地热及控制 Geothermal and control	木饰面面层 Wood veneer finishing



产品配置表 (Product configuration table)



产品配置表 (Product configuration table)

产品型号 Product model	D-02	
产品信息 (Product model number)		
外形尺寸:7500mm*3300*3300mm Dimensions	占地面积:24.8㎡ Covers an area of 24.8 square meters	约总重量:3.5吨 About 3.5 tons in total weight
用电功率:12KW Electric power 12 kw	入住人数:2人 Occupancy 2 persons	
主框结构系统 (Main frame structure system)		
钢结构 Steel structure	镀锌方管骨架 Galvanized square pipe frame	
维护结构系统 (Maintenance structure system)		
外围护铝板: 航空铝板2.5mm 氟碳烤漆 Outer aluminum plate: aviation aluminum plate 2.5mm fluorocarbon baking paint	保温层: 聚氨酯保温厚度70mm Insulating layer: polyurethane insulation thickness70mm	
门窗工程系统 (Door and window engineering system)		
入户门 Entrance door	入户门 (含智能锁) Entrance door (with smart lock)	
阳台门联窗 Balcony door and window	断桥铝5+12A+5 Broken bridge aluminum 5+12A+5	
卫生间门 Bathroom door	玻璃推拉门或木门 Glass sliding door	
幕墙玻璃 Curtain wall glass	5+12A+5, low-e玻璃 5+12A+5, low-e glass	
内墙系统 (Interior wall system)		
客厅卧室墙面(Living room bedroom wall)		
基层板: 细木工板或OSB Base board: joinery board and OSB	面层板: 竹木纤维板 Surface board: bamboo and wood fiber board	
卫生间墙面 (Bathroom wall)		
防水基板18mm Waterproof substrate 18mm	面层板: 竹木纤维板 Surface board: bamboo and wood fiber board	
楼地面结构系统 (Floor structure system)		
水泥压力板 Cement pressure plate	18mm	
卧室复合木地板 Bedroom laminated wood floor	12mm	
卫生间磁砖面 层 Tile surface	400*400含美缝 400*400 including seam	
阳台塑木地板 Balcony plastic flooring	23mm	
天花系统 (Ceiling system)		
基层板: 细木工板 Base board: joinery board	面层板: 竹木纤维板 Surface board: bamboo and wood fiber board	
电气设备安装系统 (Electrical equipment installation system)		
强电配电箱 Strong power distribution box	包含控制断路器、保护器等 Includes control circuit breakers, protectors, etc	插卡取电系统 Card access system
开关插座 Switch socket	含五孔插座、三孔插座、防水插座 Including five-hole socket, three-hole socket, waterproof socket	
弱电配电箱 Weak current distribution box	包含路由器等 Router included	
弱电插座 Weak current socket	有线网络插座 Limited line network socket	
给排水工程系统 (Water supply and drainage engineering system)		
给水管 PPR Water supply pipe ppr	排水管 PVC Drain pipe pvc	全屋给排水保温保护系统: 电伴热带 The whole house water supply and drainage insulation protection system: Electric tracing zone
照明系统 (Lighting system)		
室内照明: 筒灯 灯带 Indoor lighting: simple lampstrip light	室外照明: 筒灯 灯带 Outdoor lighting: down light strip light	变压器 Transformer 800,400,200optional
卫浴五金 (Bathroom hardware)		
马桶 toilet	洗手盆 Wash basin	水龙头 tap
花洒 Shower head	多功能浴霸 Multifunctional bath bomb	智能镜 Smart mirrors
铝合金置物架 Aluminum alloy shelves		
定制橱柜 (Custom cabinetry)		
定制多功能柜 Custom multi-function cabinet		
设备部分 (Equipment section)		
空调 air conditioning	热水器 water heater	
选配部分 (Optional sections)		
智能语音系统 Intelligent speech system	新风系统 Fresh air system	定制厨房 Custom kitchens
音响 Audio	地热及控制 Geothermal and control	木饰面面层 Wood veneer finishing


D5产品展示图 (D5 Product display diagram)



D5产品展示图 (D5 Product display diagram)

产品型号 Product model	D-05	
产品信息 (Product model number)		
外形尺寸:8500mm*3300*3300mm Dimensions	占地面积:28m² Covers an area of 28 square meters	约总重量:7.5吨 About 7.5 tons in total weight
用电功率:12KW Electric power 12 kw	入住人数:2人 Occupancy 2 persons	
主框结构系统 (Main frame structure system)		
钢结构 Steel structure	镀锌方管骨架 Galvanized square pipe frame	
维护结构系统 (Maintenance structure system)		
外围护铝板: 航空铝板2.5mm 氟碳烤漆 Outer aluminum plate: aviation aluminum plate 2.5mm fluorocarbon baking paint	保温层: 聚氨酯保温厚度70mm Insulating layer: polyurethane insulation thickness70mm	
门窗工程系统 (Door and window engineering system)		
入户门 Entrance door	入户门 (含智能锁) Entrance door (with smart lock)	
阳台门联窗 Balcony door and window	断桥铝5+12A+5 Broken bridge aluminum 5+12A+5	
卫生间门 Bathroom door	玻璃推拉门或木门 Glass sliding door	
幕墙玻璃 Curtain wall glass	5+12A+5, low-e玻璃 5+12A+5, low-e glass	
内墙系统 (Interior wall system)		
客厅卧室墙面 (Living room bedroom wall)		
基层板: 细木工板或OSB Base board: joinery board and OSB	面层板: 竹木纤维板 Surface board: bamboo and wood fiber board	
卫生间墙面 (Bathroom wall)		
防水基板18mm Waterproof substrate 18mm	面层板: 竹木纤维板 Surface board: bamboo and wood fiber board	
楼地面结构系统 (Floor structure system)		
水泥压力板 Cement pressure plate	18mm	
卧室复合木地板 Bedroom laminated wood floor	12mm	
卫生间磁砖面 层 Tile surface	400*400含美缝 400*400 including seam	
阳台塑木地板 Balcony plastic flooring	23mm	
天花系统 (Ceiling system)		
基层板: 细木工板 Base board: joinery board	面层板: 竹木纤维板 Surface board: bamboo and wood fiber board	
电气设备安装系统 (Electrical equipment installation system)		
强电配电箱 Strong power distribution box	包含控制断路器、保护器等 Includes control circuit breakers, protectors, etc	插卡取电系统 Card access system
开关插座 Switch socket	含五孔插座、三孔插座、防水插座 Including five-hole socket, three-hole socket, waterproof socket	
弱电配电箱 Weak current distribution box	包含路由器等 Router included	
弱电插座 Weak current socket	有线网络插座 Limited line network socket	
给排水工程系统 (Water supply and drainage engineering system)		
给水管 PPR Water supply pipe ppr	排水管 PVC Drain pipe pvc	全屋给排水保温保护系统: 电伴热带 The whole house water supply and drainage insulation protection system: Electric tracing zone
照明系统 (Lighting system)		
室内照明: 筒灯 灯带 Indoor lighting: simple lampstrip light	室外照明: 筒灯 灯带 Outdoor lighting: downlightstrip light	变压器 Transformer 800, 400, 200optional
卫浴五金 (Bathroom hardware)		
马桶 toilet	洗手盆 Wash basin	水龙头 tap
花洒 Showerhead	多功能浴霸 Multifunctional bath bomb	智能镜 Smart mirrors
铝合金置物架 Aluminum alloy shelves		
定制橱柜 (Custom cabinetry)		
定制多功能柜 Custom multi-function cabinet		
设备部分 (Equipment section)		
空调 air conditioning	热水器 water heater	
选配部分 (Optional sections)		
智能语音系统 Intelligent speech system	新风系统 Fresh air system	定制厨房 Custom kitchens
音响 Audio	地热及控制 Geothermal and control	木饰面面层 Wood veneer finishing


产品配置表 (Product configuration table)



产品配置表 (Product configuration table)

产品型号 Product model	D-06	
产品信息 (Product model number)		
外形尺寸:8500mm*3300*3300mm Dimensions	占地面积:28m² Covers an area of 28 square meters	约总重量:7.5吨 About 7.5 tons in total weight
用电功率:12KW Electric power 12 kw	入住人数:2人 Occupancy 2 persons	
主框结构系统 (Main frame structure system)		
钢结构 Steel structure	镀锌方管骨架 Galvanized square pipe frame	
维护结构系统 (Maintenance structure system)		
外围护铝板: 航空铝板2.5mm 氟碳烤漆 Outer aluminum plate: aviation aluminum plate 2.5mm fluorocarbon baking paint	保温层: 聚氨酯保温厚度70mm Insulating layer: polyurethane insulation thickness70mm	
门窗工程系统 (Door and window engineering system)		
入户门 Entrance door	入户门 (含智能锁) Entrance door (with smart lock)	
阳台门联窗 Balcony door and window	断桥铝5+12A+5 Broken bridge aluminum 5+12A+5	
卫生间门 Bathroom door	玻璃推拉门或木门 Glass sliding door	
幕墙玻璃 Curtain wall glass	5+12A+5, low-e玻璃 5+12A+5, low-e glass	
内墙系统 (Interior wall system)		
客厅卧室墙面 (Living room bedroom wall)		
基层板: 细木工板或OSB Base board: joinery board and OSB	面层板: 竹木纤维板 Surface board: bamboo and wood fiber board	
卫生间墙面 (Bathroom wall)		
防水基板18mm Waterproof substrate 18mm	面层板: 竹木纤维板 Surface board: bamboo and wood fiber board	
楼地面结构系统 (Floor structure system)		
水泥压力板 Cement pressure plate	18mm	
卧室复合木地板 Bedroom laminated wood floor	12mm	
卫生间磁砖面 层 Tile surface	400*400含美缝 400*400 including seam	
阳台塑木地板 Balcony plastic flooring	23mm	
天花系统 (Ceiling system)		
基层板: 细木工板 Base board: joinery board	面层板: 竹木纤维板 Surface board: bamboo and wood fiber board	
电气设备安装系统 (Electrical equipment installation system)		
强电配电箱 Strong power distribution box	包含控制断路器、保护器等 Includes control circuit breakers, protectors, etc	插卡取电系统 Card access system
开关插座 Switch socket	含五孔插座、三孔插座、防水插座 Including five-hole socket, three-hole socket, waterproof socket	
弱电配电箱 Weak current distribution box	包含路由器等 Router included	
弱电插座 Weak current socket	有线网络插座 Limited line network socket	
给排水工程系统 (Water supply and drainage engineering system)		
给水管 PPR Water supply pipe ppr	排水管 PVC Drain pipe pvc	全屋给排水保温保护系统: 电伴热带 The whole house water supply and drainage insulation protection system: Electric tracing zone
照明系统 (Lighting system)		
室内照明: 筒灯 灯带 Indoor lighting: simple lampstrip light	室外照明: 筒灯 灯带 Outdoor lighting: downlightstrip light	变压器 Transformer 800, 400, 200optional
卫浴五金 (Bathroom hardware)		
马桶 toilet	洗手盆 Wash basin	水龙头 tap
花洒 Showerhead	多功能浴霸 Multifunctional bath bomb	智能镜 Smart mirrors
铝合金置物架 Aluminum alloy shelves		
定制橱柜 (Custom cabinetry)		
定制多功能柜 Custom multi-function cabinet		
设备部分 (Equipment section)		
空调 air conditioning	热水器 water heater	
选配部分 (Optional sections)		
智能语音系统 Intelligent speech system	新风系统 Fresh air system	定制厨房 Custom kitchens
音响 Audio	地热及控制 Geothermal and control	木饰面面层 Wood veneer finishing


D7产品展示图 (D7 Product display diagram)



D7产品展示图 (D7 Product display diagram)


产品型号 Product model	D-07	
产品信息 (Product model number)		
外形尺寸:11500mm*3300*3300mm Dimensions	占地面积:38m² Covers an area of 38 square meters	约总重量:8.5吨 About 8.5 tons in total weight
用电功率:12KW Electric power 12 kw	入住人数:2人 Occupancy 2 persons	
主框结构系统 (Main frame structure system)		
钢结构 Steel structure	镀锌方管骨架 Galvanized square pipe frame	
维护结构系统 (Maintenance structure system)		
外围铝护板: 航空铝板2.5mm 氟碳烤漆 Outer aluminum plate: aviation aluminum plate 2.5mm fluorocarbon baking paint	保温层: 聚氨酯保温厚度70mm Insulating layer: polyurethane insulation thickness70mm	
门窗工程系统 (Door and window engineering system)		
入户门 Entrance door	入户门 (含智能锁) Entrance door (with smart lock)	
阳台门联窗 Balcony door and window	断桥铝5+12A+5 Broken bridge aluminum 5+12A+5	
卫生间门 Bathroom door	玻璃推拉门或木门 Glass sliding door	
幕墙玻璃 Curtain wall glass	5+12A+5, low-e玻璃 5+12A+5, low-e glass	
内墙系统 (Interior wall system)		
客厅卧室墙面 (Living room bedroom wall)		
基层板: 细木工板或OSB Base board: joinery board and OSB	面层板: 竹木纤维板 Surface board: bamboo and wood fiber board	
卫生间墙面 (Bathroom wall)		
防水基板18mm Waterproof substrate 18mm	面层板: 竹木纤维板 Surface board: bamboo and wood fiber board	
楼地面结构系统 (Floor structure system)		
水泥压力板 Cement pressure plate	18mm	
卧室复合木地板 Bedroom laminated wood floor	12mm	
卫生间磁砖面 层 Tile surface	400*400含美缝 400*400 including seam	
阳台塑木地板 Balcony plastic flooring	23mm	
天花系统 (Ceiling system)		
基层板: 细木工板 Base board: joinery board	面层板: 竹木纤维板 Surface board: bamboo and wood fiber board	
电气设备安装系统 (Electrical equipment installation system)		
强电配电箱 Strong power distribution box	包含控制断路器、保护器等 Includes control circuit breakers, protectors, etc	插卡取电系统 Card access system
开关插座 Switch socket	含五孔插座、三孔插座、防水插座 Including five-hole socket, three-hole socket, waterproof socket	
弱电配电箱 Weak current distribution box	包含路由器等 Router included	
弱电插座 Weak current socket	有线网络插座 Limited line network socket	
给排水工程系统 (Water supply and drainage engineering system)		
给水管 PPR Water supply pipe ppr	排水管 PVC Drain pipe pvc	全屋给排水保温保护系统: 电伴热带 The whole house water supply and drainage insulation protection system: Electric tracing zone
照明系统 (Lighting system)		
室内照明: 筒灯 灯带 Indoor lighting: simple lampstrip light	室外照明: 筒灯 灯带 Outdoor lighting: downlightstrip light	变压器 Transformer 800, 400, 200optional
卫浴五金 (Bathroom hardware)		
马桶 toilet	洗手盆 Wash basin	水龙头 tap
花洒 Showerhead	多功能浴霸 Multifunctional bath bomb	智能镜 Smart mirrors
铝合金置物架 Aluminum alloy shelves		
定制橱柜 (Custom cabinetry)		
定制多功能柜 Custom multi-function cabinet		
设备部分 (Equipment section)		
空调 air conditioning	热水器 water heater	
选配部分 (Optional sections)		
智能语音系统 Intelligent speech system	新风系统 Fresh air system	定制厨房 Custom kitchens
音响 Audio	地热及控制 Geothermal and control	木饰面面层 Wood veneer finishing

D8产品展示图 (D8 Product display diagram)



D8产品展示图 (D8 Product display diagram)

产品型号 Product model	D-08	
产品信息 (Product model number)		
外形尺寸:12000mm*3000*3000mm Dimensions	占地面积:36m² Covers an area of 36 square meters	约总重量:8.5吨 About 8.5 tons in total weight
用电功率:12KW Electric power 12 kw	入住人数:2人 Occupancy 2 persons	
主框结构系统 (Main frame structure system)		
钢结构 Steel structure	镀锌方管骨架 Galvanized square pipe frame	
维护结构系统 (Maintenance structure system)		
外围护铝板: 航空铝板2.5mm 氟碳烤漆 Outer aluminum plate: aviation aluminum plate 2.5mm fluorocarbon baking paint	保温层: 聚氨酯保温厚度70mm Insulating layer: polyurethane insulation thickness70mm	
门窗工程系统 (Door and window engineering system)		
入户门 Entrance door	入户门 (含智能锁) Entrance door (with smart lock)	
阳台门联窗 Balcony door and window	断桥铝5+12A+5 Broken bridge aluminum 5+12A+5	
卫生间门 Bathroom door	玻璃推拉门或木 门 Glass sliding door	
幕墙玻璃 Curtain wall glass	5+12A+5, low-e玻璃 5+12A+5, low-e glass	
内墙系统 (Interior wall system)		
客厅卧室墙面 (Living room bedroom wall)		
基层板: 细木工板或OSB Base board: joinery board and OSB	面层板: 竹木纤维板 Surface board: bamboo and wood fiber board	
卫生间墙面 (Bathroom wall)		
防水基板18mm Waterproof substrate 18mm	面层板: 竹木纤维板 Surface board: bamboo and wood fiber board	
楼地面结构系统 (Floor structure system)		
水泥压力板 Cement pressure plate	18mm	
卧室复合木地板 Bedroom laminated wood floor	12mm	
卫生间磁砖面 层 Tile surface	400*400含美缝 400*400 including seam	
阳台塑木地板 Balcony plastic flooring	23mm	
天花系统 (Ceiling system)		
基层板: 细木工板 Base board: joinery board	面层板: 竹木纤维板 Surface board: bamboo and wood fiber board	
电气设备安装系统 (Electrical equipment installation system)		
强电配电箱 Strong power distribution box	包含控制断路器、保护器等 Includes control circuit breakers, protectors, etc	插卡取电系统 Card access system
开关插座 Switch socket	含五孔插座、三孔插座、防水插座 Including five-hole socket, three-hole socket, waterproof socket	
弱电配电箱 Weak current distribution box	包含路由器等 Router included	
弱电插座 Weak current socket	有线网络插座 Limited line network socket	
给排水工程系统 (Water supply and drainage engineering system)		
给水管 PPR Water supply pipe ppr	排水管 PVC Drain pipe pvc	全屋给排水保温保护系统: 电伴热带 The whole house water supply and drainage insulation protection system: Electric tracing zone
照明系统 (Lighting system)		
室内照明: 筒灯 灯带 Indoor lighting: simple lampstrip light	室外照明: 筒灯 灯带 Outdoor lighting: downlightstrip light	变压器 Transformer 800, 400, 200optional
卫浴五金 (Bathroom hardware)		
马桶 toilet	洗手盆 Wash basin	水龙头 tap
花洒 Showerhead	多功能浴霸 Multifunctional bath bomb	智能镜 Smart mirrors
铝合金置物架 Aluminum alloy shelves		
定制橱柜 (Custom cabinetry)		
定制多功能柜 Custom multi-function cabinet		
设备部分 (Equipment section)		
空调 air conditioning	热水器 water heater	
选配部分 (Optional sections)		
智能语音系统 Intelligent speech system	新风系统 Fresh air system	定制厨房 Custom kitchens
音响 Audio	地热及控制 Geothermal and control	木饰面面层 Wood veneer finishing



*以实物为

